



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/809,749	03/25/2004	Brian Robert Prasky	POU920030065US1	7321

33558 7590 07/24/2008
INTERNATIONAL BUSINESS MACHINES CORPORATION
IPLAW DEPARTMENT
2455 SOUTH ROAD - MS P386
POUGHKEEPSIE, NY 12601

EXAMINER

FENNEMA, ROBERT E

ART UNIT	PAPER NUMBER
----------	--------------

2183

MAIL DATE	DELIVERY MODE
-----------	---------------

07/24/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/809,749	Applicant(s) PRASKY ET AL.	
	Examiner ROBERT E. FENNEMA	Art Unit 2183	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 May 2008.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-8, 10-18, 20-28 and 30 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-8, 10-18, 20-28, and 30 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

1. Claims 1-8, 10-18, 20-28, and 30 have been considered. Claims 1, 11, and 21 amended as per Applicant's request.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-8, 10-18, 20-28, and 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Check et al. (USPN 6,125,444, herein Check), in view of Patterson et al. (herein Patterson).

4. As per Claim 1, Check teaches: A method operating a computer having a pipelined processor (Figure 1), comprising setting a bit within an instruction text field of a branch (Column 2, Lines 33-40 and Column 4, Lines 24-27), but fails to teach:

said bit preventing the branch from being placed into a branch history buffer and a branch target buffer to thereby prevent the branch from being written into the branch history buffer and branch target buffer and preventing the branch from being predicted and to make the branch only detectable as the time frame of decode.

While Check teaches using an instruction field of an instruction to disable a branch history table, he does not teach that doing so would prevent the branch from being

placed in a branch target buffer, because Check is silent towards a branch target buffer even existing in the system. However, Patterson teaches that in order to further increase the performance of branches, a "branch target buffer" is often used, so that the target address can be calculated in the fetch stage, instead of the decode stage (Pages 271-275). As the branch target buffer relies on having a prediction in order to determine the correct address, as seen by Figure 4.23 on Page 275, if no prediction was able to be generated, because of a BHT being disabled, then it would have been obvious to one of ordinary skill in the art to also not use the BTB, as it would not have the data it needs to be made use of, therefore, attempting to use a BTB in this situation would not only not make sense, but would be almost guaranteed to generate erroneous output. In addition, as can be seen by Column 2, Lines 28-31, sensitive system operations require cache control, so for the same reason Check disables the BHT, the BTB would need to not be written to as well. Given the advantage of a BTB as disclosed by Patterson, and the need to implement it in the system as disclosed by Check, one of ordinary skill in the art at the time the invention was made would have been motivated to include a BTB, and also to disable its use when the BHT was disabled, as the entire branch prediction mechanism must be disabled.

5. As per Claim 2, Check teaches: The method as defined in claim 1 comprising predicting the direction and target of a branch prior to decode (Figure 1).

6. As per Claim 3, Check teaches: A method as defined in claim 2 comprising predicting the direction and target of a branch prior to decode through a branch prediction array (Figure 1, also see Column 4, Lines 32-49).

7. As per Claim 4, Check teaches: A method as defined in claim 1 comprising tracking the branch from the beginning of the pipe, decode, until the time frame that the given instruction is to be written into a branch prediction array (It is inherent that instructions in a pipeline are kept track of, they must exist until they are removed).

8. As per Claim 5, Check teaches: A method as defined in claim 1 comprising denoting the instruction text field as a non-writable branch into the BTB (Column 2, Lines 36-40).

9. As per Claim 6, Check teaches: The method as defined in claim 5 comprising denoting the instruction text field in the system area as a non-writable branch into the BTB in system whereby the branch is blocked from being written to the BTB (Column 2, Lines 28-31).

10. As per Claim 7, Check teaches: The method as defined in claim 6 comprising predicting the branch via aliasing (Column 4, Lines 12-15).

11. As per Claim 8, Patterson teaches: The method as defined in claim 1 wherein machine state altering code lies within an address range spanned by branch tag bits of the branch target buffer (All instructions can alter machine state, so if any instruction is in the BTB, machine state altering code lies within an address range spanning by tag bits in the BTB).

12. As per Claim 10, Check teaches: The method as defined in claim 8 comprising denoting state altering code in the system area by a state bit within the BTB/BHT such that aliasing of branches is prevented within the system area (Column 2, Lines 28-40).

13. As per Claim 11, Check teaches: A computer system having input, output, storage, and a pipelined processor (Figure 1), said processor adapted and configured to set a bit within an instruction text field of a branch (Column 2, Lines 33-40 and Column 4, Lines 24-27), but fails to teach:

said bit preventing the branch from being placed into a branch history table and a branch target buffer to thereby prevent the branch from being written into the branch history buffer and branch target buffer and preventing the branch from being predicted and make the branch only detectable as the time frame of decode.

While Check teaches using an instruction field of an instruction to disable a branch history table, he does not teach that doing so would prevent the branch from being placed in a branch target buffer, because Check is silent towards a branch target buffer even existing in the system. However, Patterson teaches that in order to further

increase the performance of branches, a “branch target buffer” is often used, so that the target address can be calculated in the fetch stage, instead of the decode stage (Pages 271-275). As the branch target buffer relies on having a prediction in order to determine the correct address, as seen by Figure 4.23 on Page 275, if no prediction was able to be generated, because of a BHT being disabled, then it would have been obvious to one of ordinary skill in the art to also not use the BTB, as it would not have the data it needs to be made use of, therefore, attempting to use a BTB in this situation would not only not make sense, but would be almost guaranteed to generate erroneous output. In addition, as can be seen by Column 2, Lines 28-31, sensitive system operations require cache control, so for the same reason Check disables the BHT, the BTB would need to not be written to as well. Given the advantage of a BTB as disclosed by Patterson, and the need to implement it in the system as disclosed by Check, one of ordinary skill in the art at the time the invention was made would have been motivated to include a BTB, and also to disable its use when the BHT was disabled, as the entire branch prediction mechanism must be disabled.

14. As per Claim 12, Check teaches: The computer system as defined in claim 11, said computer system adapted and configured to predict the direction and target of a branch prior to decode (Figure 1).

15. As per Claim 13, Check teaches: The computer system as defined in claim 12 said computer system adapted and configured to predict the direction and target of a

branch prior to decode through a branch prediction array (Figure 1, also see Column 4, Lines 32-49).

16. As per Claim 14, Check teaches: The computer system as defined in claim 11, said computer system adapted and configured to track the branch from the beginning of the pipe, decode, until the time frame that the given instruction is to be written into a branch prediction array (It is inherent that instructions in a pipeline are kept track of, they must exist until they are removed).

17. As per Claim 15, Check teaches: The computer system as defined in claim 11 said computer system adapted and configured to denote the instruction text field as a non-writable branch into the BTB (Column 2, Lines 36-40).

18. As per Claim 16, Check teaches: The computer system as defined in claim 15 said computer system adapted and configured to denote the instruction field in the system area as a non-writable branch into the BTB in system whereby the branch is blocked (Column 2, Lines 28-31).

19. As per Claim 17, Check teaches: The computer system as defined in claim 16 said computer system adapted and configured to denote the instruction text field in the non-system area, and to predict the branch may be predicted via aliasing (Column 4,

Lines 12-15).

20. As per Claim 18, Patterson teaches: The computer system as defined in claim 11 wherein machine state altering code lies within an address range spanned by branch tag bits of the branch target buffer (All instructions can alter machine state, so if any instruction is in the BTB, machine state altering code lies within an address range spanning by tag bits in the BTB).

21. As per Claim 20, Check teaches: The computer system as defined in claim 18 said computer system is adapted and configured to denote state altering code in the system area by a state bit within the BTB/BHT such that aliasing of branches is prevented within the system area is prevented (Column 2, Lines 28-40).

22. As per Claim 21, Check teaches: A program product comprising a storage medium having computer readable program code, said program code for use in a computer system having input, output, storage, and a pipelined processor (Figure 1), said program code adapting and configuring the computer system to set a bit within an instruction text field of a branch (Column 2, Lines 33-40 and Column 4, Lines 24-27), but fails to teach:

Said bit preventing the branch from being placed into a branch history table and a branch target buffer to thereby prevent the branch from being written into the branch

history buffer and branch target buffer and preventing the branch from being predicted and make the branch only detectable as the time frame of decode.

While Check teaches using an instruction field of an instruction to disable a branch history table, he does not teach that doing so would prevent the branch from being placed in a branch target buffer, because Check is silent towards a branch target buffer even existing in the system. However, Patterson teaches that in order to further increase the performance of branches, a “branch target buffer” is often used, so that the target address can be calculated in the fetch stage, instead of the decode stage (Pages 271-275). As the branch target buffer relies on having a prediction in order to determine the correct address, as seen by Figure 4.23 on Page 275, if no prediction was able to be generated, because of a BHT being disabled, then it would have been obvious to one of ordinary skill in the art to also not use the BTB, as it would not have the data it needs to be made use of, therefore, attempting to use a BTB in this situation would not only not make sense, but would be almost guaranteed to generate erroneous output. In addition, as can be seen by Column 2, Lines 28-31, sensitive system operations require cache control, so for the same reason Check disables the BHT, the BTB would need to not be written to as well. Given the advantage of a BTB as disclosed by Patterson, and the need to implement it in the system as disclosed by Check, one of ordinary skill in the art at the time the invention was made would have been motivated to include a BTB, and also to disable its use when the BHT was disabled, as the entire branch prediction mechanism must be disabled.

23. As per Claim 22, Check teaches: The program product as defined in claim 21, said computer system adapted and configured to predict the direction and target of a branch prior to decode (Figure 1).

24. As per Claim 23, Check teaches: The program product as defined in claim 22 said computer system adapted and configured to predict the direction and target of a branch prior to decode through a branch prediction array (Figure 1, also see Column 4, Lines 32-49).

25. As per Claim 24, Check teaches: The program product as defined in claim 21, said computer system adapted and configured to track the branch from the beginning of the pipe, decode, until the time frame that the given instruction is to be written into a branch prediction array (It is inherent that instructions in a pipeline are kept track of, they must exist until they are removed).

26. As per Claim 25, Check teaches: The program product as defined in claim 21 said computer system adapted and configured to denote the instruction text field as a non-writable branch into the BTB (Column 2, Lines 36-40).

27. As per Claim 26, Check teaches: The program product as defined in claim 25 said computer system adapted and configured to denote the instruction text field in the system area as a non-writable branch into the BTB in system whereby the branch is

blocked from being written to the BTB (Column 2, Lines 28-31).

28. As per Claim 27, Check teaches: The program product as defined in claim 26 said computer system adapted and configured to denote the instruction text field in the non-system area, and predict the branch via aliasing (Column 4, Lines 12-15).

29. As per Claim 28, Patterson teaches: The program product as defined in claim 21 wherein machine state altering code lies within an address range spanned by branch tag bits of the branch target buffer (All instructions can alter machine state, so if any instruction is in the BTB, machine state altering code lies within an address range spanning by tag bits in the BTB).

30. As per Claim 30, Check teaches: The program product as defined in claim 28 said computer system is adapted and configured to denote state altering code in the system area by a state bit within the BTB/BHT such that aliasing of branches is prevented within the system area (Column 2, Lines 28-40).

Response to Arguments

1. Examiner has noted the statement by Mr. Prasky, however, Examiner still asserts that his rejection is correct and proper. Examiner is well aware of what a BHT and BTB are, and how they are used, and the statement by Mr. Prasky that the Examiner is

incorrect, without any true argument why, is not sufficient to convince the Examiner otherwise.

What the Applicant appears to be arguing, in order to overcome the Examiners rejection, is the following scenario, which one of ordinary skill in the art would have to accept as correct in order for the rejection to be overcome. The BTB, when encountering an instruction, would have to access a prediction value, and present it to the next stage. The BHT would then be accessed, however, it would be disabled, because it was explicitly disabled for that instruction, because the system explicitly ordered the BHT not to be active, because it did not want the branch to be predicted in any form. Even given that information, the system would then go ahead and use the prediction from the BTB, despite the BHT being explicitly disabled to prevent any prediction, and continue execution. Examiner asserts that no one of ordinary skill in the art would ever consider that situation to be reasonable, given the teachings of Check. Check teaches explicitly not predicting branches, and the Applicant has argued that prediction in the combination of Check and Parady would continue anyway, without providing any evidence whatsoever to support their argument. Meanwhile, Examiner points to Check, which teaches in Column 2, Lines 50-53, which says that prediction is disabled, because it does not help performance but hinders it. Given those teachings, no one of ordinary skill in the art would continue to use and update the BTB when the BHT was disabled, when doing so would violate the spirit and teachings of Check.

Therefore, the Examiner is not persuaded by the Applicant's remarks, as there is no evidence to suggest that the above situation would ever be considered by one of

ordinary skill in the art, as the Applicant would be required to show why one of ordinary skill in the art would be motivated and forced to directly contradict and undermine the invention of Check, while still performing the invention of Check, which is not possible.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Robert E. Fennema whose telephone number is (571) 272-2748. The examiner can normally be reached on Monday-Friday, 8:45-6:15.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eddie Chan can be reached on (571) 272-4162. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Eddie P Chan/
Supervisory Patent Examiner, Art Unit 2183

Robert E Fennema
Examiner
Art Unit 2183

RF